- 2. (Amended) [A] <u>The</u> composition according to Claim 1, wherein the pyrodextrins, [or] polyglucoses and a mixture of pyrodextrins and polyglucoses have a molecular weight in the range of about 1000 to about 6000 Daltons.
- 3. (Amended) [A] <u>The</u> composition according to Claim 2, wherein the pyrodextrins, [or] polyglucoses and a mixture of pyrodextrins and polyglucoses have a molecular weight in the range of about 2000 to about 5000 Daltons.
- 4. (Amended) [A] The composition according to Claim 2, wherein pyrodextrins, [or] polyglucoses and a mixture of pyrodextrins and polyglucoses have a molecular weight in the range of about 4000 to about 500 Daltons.
- 5. (Amended [A] The composition according to Claim 1, wherein the anticrystallising agent is at least one of hydrogenated [and/or] and oxidised.
- 6. (Amended [A] The composition according to Claim 1, wherein the [not very] soluble compound is [chosen] selected from the group consisting of trehalose, lactose, mannose, maltose, erythritol, mannitol, glucogyranodiso-1, 6-mannitol and lactitol.
- 7. (Amended) [A] <u>The composition according to Claim 1</u>, wherein the ratio by weight of anti-crystallising agent [/ not very] to the soluble compound is in the range of about 10/90 to about 90/10.
- 8. (Amended) [A] <u>The</u> composition according to Claim 7, wherein [said] <u>the</u> ratio <u>by weight of anti-crystallising agent to the soluble compound</u> is in the range <u>of about 20/80</u> to about 80/20.